Aedes & Ochlerotatus	Ae aegypti	Ae albopictus	Ae vexans	Oc bahamensis	Oc fulvus pallens	Oc infirmatus	Oc sollicitans	Oc taenio- rhynchus	Oc tormentor
palps	dark with white tip; clypeus white	dark with white tip; clypeus black	dark with a few white scales on tip	dark with white tip	yellow with dark tip	dark	dark with white tip	dark with white tip	dark brown
proboscis	dark	dark	dark	dark	yellow with dark tip	dark	dark with broad cream- colored ring at middle	dark with narrow white ring at middle (sometimes absent)	dark brown
scutum	dark with white lyre- shaped pattern	dark with white median stripe	brown with golden- brown scales	brown with many lines of gold & white scales	yellow with 2 large posterior black spots	brown with a broad incomplete white median stripe	dark with golden scales; paler scales on margin	dark with golden scales; paler scales on margin	dark brown with a median stripe of white or gold scales (also on head)
thorax	dark with patches of white scales	dark with patches of white scales	brown with a few patches of whitish scales	brown with patches of white scales	yellow with dark spot near spiracle	brown with patches of white scales	dark with narrow white scales	dark with patches of white scales	dark with patches of white scales
abdomen	dark with narrow white basal bands	dark with narrow white basal bands	dark with white basal bands shaped like an inverted 'V'	dark with narrow white basal bands	yellow with dark apical patches	dark with basal triangular patches of white scales	dark with white basal bands & median longitudinal white stripe	dark with white basal bands	dark with lateral triangular pale patches
wings	dark	dark	dark	dark	yellow	dark	light & dark	dark	dark
hind legs	dark with white basal bands	dark with white basal bands	dark with narrow white basal bands	dark with white basal bands	yellow; lower tarsal segments dark	dark	dark with white basal bands; 1 st tarsus with white ring at middle	dark with white basal bands	dark

Aedes & Ochlerotatus	Oc triseriatus	 	 	 	
palps	dark				
proboscis	dark				
scutum	dark with white scales along sides				
thorax	dark with patches of white scales				
abdomen	dark with lateral basal pale patches				
wings	dark				
hind legs	dark				

Anopheles	crucians	quadri- maculatus	walkeri	 	 	
palps	dark with white rings	dark	dark with narrow white rings			
occiput	frontal tuft pale	frontal tuft pale	frontal tuft dark			
halter	knob dark- scaled	knob dark- scaled	knob pale- scaled			
wings	light & dark scales; costa dark, wing tip white; 3 dark spots on 6 th vein	light & dark scales; 4 distinct darker spots	dark scales, often with 4 more or less distinct dark spots			
hind legs	dark with pale 'knee' spots	dark with pale 'knee' spots	dark with pale 'knee' spots			

Culex	biscaynensis	declarator	erraticus	nigripalpus	pilosus	quinque- fasciatus	restuans	salinarius	territans
palps	long & dark	short & dark	short & dark	short & dark	short & dark	short & dark	short & dark	short & dark	short & dark
occiput			dark with a narrow line of flat, ovate scales bordering eye			center with light erect forked scales, dark at sides			
scutum	brown	brown	dark	brown – copper	dark	straw	copper, sometimes with 2 pale spots	copper, sometimes distinctly red	light brown
thorax	pale, no patches of scales	dark brown spots create striped pattern; patches of white scales	dark with small patches of white scales	very few white scales, if present	dark with few patches of white scales	small patches of white scales	patches of white scales	patches of white scales	patches of white scales
abdomen	dark with lateral white patches	dark with lateral white patches	dark, sometimes with narrow white basal bands	dark with lateral white patches, sometimes narrow basal bands (<2 rows)	dark, with bronze or blue-green reflection	dark with white basal bands shaped like an 'M'	dark with white basal bands	dark with golden basal bands; segment 7 golden	dark with narrow apical bands
proboscis hind legs wings	dark	dark	dark	dark	dark	dark	dark	dark	dark

Mansonia & Coquillettidia	Ma dyari	Ma titillans	Cq perturbans	 	 	
palps	mostly dark; <1/3 length of proboscis, club-like	mostly dark; about ½ length of proboscis, stem-like	speckled			
proboscis	dark with narrow pale ring beyond middle	dark with narrow pale ring beyond middle	dark with broad pale ring at middle			
abdomen	dark; margin of 7 th segment without spines	dark; margin of 7 th segment with row of short spines	dark			
wings	light & dark scales; scales broad with cut-off tip	light & dark scales; scales broad with cut-off tip	light & dark scales; scales broad with rounded tip			
hind legs	dark with narrow white basal bands	dark with narrow white basal bands	dark with broad white basal bands; 1 st tarsus has white ring at middle			

Psorophora	ciliata	columbiae	ferox			
palps	dark; 1/3 length of proboscis	dark with fat tip	dark			
proboscis	yellowish; dark at tip	dark with wide pale ring at middle	dark			
scutum	dark with longitudinal stripe of gold scales	dark with silvery- lavender tinted scales	dark with golden scales			
abdomen	pale yellow to brown	dark with apical pale patches	dark with a purplish reflection			
wings	dark	light & dark	dark			
hind legs	dark with white basal bands; shaggy	dark with white basal bands; 1 st tarsus with middle band	dark with purplish refection; white 'booties'			

Uranotaenia	lowii	sapphirina	 	 	 	
palps	dark	dark				
proboscis	dark; fat at tip	dark; fat at tip				
scutum	dark	stripe of iridescent sapphire blue scales				
thorax	pale with dark spot and a few pale blue scales	pale with sapphire blue scales				
abdomen	dark with lateral patches of pale iridescent scales	dark				
wings	short stripe of pale blue scales on stem of 5 th vein	long stripe of pale blue scales on stem of 5 th vein				
hind legs	dark with pale 'knee' spots; white 'booties'	dark with pale 'knee' spots				

Wyeomyia	mitchellii	vanduzeei	 	 	 	
palps	dark	dark				
proboscis	dark	dark				
antepronotum	purple scales	silver scales				
hind legs	dark	dark				