



Species: *Aedes aegypti*
Active Ingredient: permethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes aegypti*
Active Ingredient: malathion




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes aegypti*
Active Ingredient: naled




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes aegypti*
Active Ingredient: deltamethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes aegypti*
Active Ingredient: etofenprox




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes aegypti*
Active Ingredient: sumithrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: permethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: malathion




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: naled




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: deltamethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: etofenprox




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Aedes albopictus*
Active Ingredient: sumithrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: permethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: malathion




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: naled




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: deltamethrin




Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: etofenprox



Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019

Species: *Culex quinquefasciatus*
Active Ingredient: sumithrin



Credit: E. Buckner, Florida Medical Entomology Laboratory, University of Florida, IFAS
Updated October 2019